

KORING 792-10*Brake Cleaner***Purpose:**

KORING 792-10 is a colourless liquid with a characteristic sweetish odour. It is a solution of strong organic solvents. The agent is an effective degreaser and is capable of dissolving both polar and non-polar contaminants. It evaporates quickly. It does not cause corrosion of metals.

It is gentle on most plastics and does not destroy paints used in the automotive industry. Only some water-based acrylic paints could swell and silicone sealants can soften due to the effect of the product.

The product can be used not only for degreasing and cleaning brake systems, but also for degreasing plastics, varnishes, etc. For example, the product is good at removing stains of asphalt, oils, etc. At the same time, it can be used to clean greasy stains from upholstery, but also stains of foodstuffs such as chocolate is. (However, patch may appear on the upholstery after some types of soiling have been cleaned. The treated area is cleaned and the surrounding area remains soiled.)

The cleaning agent also has a disinfectant effect.

Application:

When cleaning the brakes, the product is preferably applied by spraying. A mechanical sprayer can be used, but the liquid can also be filled into aerosol sprays. If the brake mechanism is accessible, the fluid can be applied with a brush. After application, impurities dissolve very quickly. Therefore, the agent is applied in excess to flush out dissolved impurities from the mechanisms. After washing and degreasing, the mechanisms dry very quickly.

When cleaning and degreasing plastics or car paints, it is best to let the product soak into an absorbent cloth and clean the surface. It is also possible to spray the soiled area with a mechanical sprayer and then wipe it with a clean absorbent cloth.

When cleaning the upholstery, the absorbent cloth is soaked in the product, the soiled area is washed with it and then the residue is removed with a clean, dry, absorbent cloth.

Warning:

KORING 792-10 is a Class I flammable agent. Vapours can form an explosive mixture with air. It should only be used in well-ventilated areas, avoid contact with ignition sources and take precautions against sparks from electrostatic charge. Must be stored away from sources of ignition.

Do not eat, drink or smoke while working.

May cause lung damage if swallowed.

As the product is a strong degreaser, it can cause degreasing and cracking of the skin. If skin contact occurs, treat the affected area with a reparative cream.

Wear work clothing, protective goggles and oil resistant gloves when working. In the case of spray application, unless good ventilation is provided, use a respirator with an organic vapour filter.

The agent is toxic to aquatic organisms. Prevent its release into the waters.

Once the surface of the product or equipment has been degreased, it is susceptible to corrosion because it is not protected in any way against the corrosive effects of the atmosphere.

Active Substances:

A mixture of alkanes and alcohols.

Storage:

Store in original well sealed containers away from sources of ignition.

Expiration:

2 years in a closed container.